● Standard ■ OTA Will Release - N/A	Li i8 Pro	Li i8 Max	Li i8 Ultra
Technical Specification			
Length	5085mm	5085mm	5085mm
Width	1960mm	1960mm	1960mm
Height	1740mm	1740mm	1740mm
Wheelbase	3050mm	3050mm	3050mm
Passenger capacity	6	6	6
Seat layout	2-2-2	2-2-2	2-2-2
CLTC Estimated Range	670km	720km	720km
5C Fast Charging Time	Charge for 10 Minutes, Travel up to 500 km.*	Charge for 10 Minutes, Travel up to 500 km.*	Charge for 10 Minutes, Travel up to 500 km.*
Drag Coefficient (Cd)	0.218*	0.218*	0.218*
Exterior Color and Interio	r Upholstery		
A new design for a pure electri	ic vehicle		
Streamlined Low-Drag Design	•	•	
Streamlined Low-Drag Design  New 3D Halo Light	•	•	•
New 3D Halo Light  All Flush Side Windows &			
New 3D Halo Light  All Flush Side Windows & Full-Length Panoramic Roof  Tri-tone wrap-around cockpit			
New 3D Halo Light  All Flush Side Windows & Full-Length Panoramic Roof  Tri-tone wrap-around cockpit design			
New 3D Halo Light  All Flush Side Windows & Full-Length Panoramic Roof  Tri-tone wrap-around cockpit design  Interior Ambient Lighting			• 256 Colors
New 3D Halo Light  All Flush Side Windows & Full-Length Panoramic Roof  Tri-tone wrap-around cockpit design  Interior Ambient Lighting  Flat-Floor Interior			• 256 Colors
New 3D Halo Light  All Flush Side Windows & Full-Length Panoramic Roof  Tri-tone wrap-around cockpit design  Interior Ambient Lighting  Flat-Floor Interior  Paint color			• 256 Colors



● Standard ■ OTA Will Release - N/A	Li i8 Pro	Li i8 Max	Li i8 Ultra
Elephant Grey - Special Edition Solid	O Optional	O Optional	O Optional
Sky Blue - Special Edition Solid	O Optional	O Optional	O Optional
Wheels			
20" Aero Wheels (With 255/50 R20 Silent Tires)			
21" Aero Wheels (With 265/45 R21 Silent Tires)	O Optional	O Optional	
21" 7-Spoke Sport Wheels (With 265/45 R21 Silent Tires)	O Optional	O Optional	
Interior Upholstery color			
White Interior (White Steering Wheel, Light Grey Dashboard, White Headliner)	•		
Taupe Interior (Brown Steering Wheel, Dark Grey Dashboard, White Headliner)			
Golden-Brown Interior (Dark Grey Steering Wheel, Dark Grey Dashboard, Black Headliner)			
Extended Platform			
Fast Charging Solution			
Traction battery	Ternary Lithium 5C Ultra-Fast Charging Battery	Ternary Lithium 5C Ultra-Fast Charging Battery	Ternary Lithium 5C Ultra-Fast Charging Battery
Total Battery Capacity	90.1kWh	97.8kWh	97.8kWh
5C Fast Charging Time	Charge for 10 Minutes, Travel up to 500 km.*	Charge for 10 Minutes, Travel up to 500 km.*	Charge for 10 Minutes, Travel up to 500 km.*
CLTC Estimated Range	670km	720km	720km
CLTC Energy Consumption	14.6 kWh/100 km	14.8 kWh/100 km	14.8 kWh/100 km



● Standard ■ OTA Will Release - N/A	Li i8 Pro	Li i8 Max	Li i8 Ultra
Power			
Drive system	Front and Rear Motor 4WD	Front and Rear Motor 4WD	Front and Rear Motor 4WD
Total power of power system	400kW	400kW	400kW
Total torque of power system	660N·m	660N·m	660N·m
0-100km/h acceleration time	4.5s	4.5s	4.5s
Maximum speed	180km/h (electronic speed control)	180km/h (electronic speed control)	180km/h (electronic speed control)
Front 3-in-1 Drive Unit (Asynchronous Induction Motor)	Power: 150kW Torque: 235N·m	Power: 150kW Torque: 235N·m	Power: 150kW Torque: 235N·m
Rear 3-in-1 Drive Unit (Permanent Magnet Synchronous Motor)	Power: 250kW Torque: 425N·m	Power: 250kW Torque: 425N·m	Power: 250kW Torque: 425N·m
SiC Power Module	•	•	•
Power Mode	Eco, Comfort, Standard, Sport, Performance	Eco, Comfort, Standard, Sport, Performance	Eco, Comfort, Standard, Sport, Performance
Battery Cooling System	Liquid Cooling	Liquid Cooling	Liquid Cooling
Chassis			
Front suspension type	Double wishbone front suspension	Double wishbone front suspension	Double wishbone front suspension
Rear suspension type	Five-link rear suspension	Five-link rear suspension	Five-link rear suspension
Suspension	Magic Carpet Dual- Chamber Air Suspension	Magic Carpet Dual- Chamber Air Suspension	Magic Carpet Dual- Chamber Air Suspension
Continuous Damping Control	•		
Four-Level Adjustable Suspension Height	High: Raised by 40 mm; Medium-High: Raised by 20 mm; Standard: 0 mm; Low: Lowered by 25 mm	High: Raised by 40 mm; Medium-High: Raised by 20 mm; Standard: 0 mm; Low: Lowered by 25 mm	High: Raised by 40 mm; Medium-High: Raised by 20 mm; Standard: 0 mm; Low: Lowered by 25 mm
Automatic speed-dependent adjustment of vehicle height	Lowered by 25 mm	Lowered by 25 mm	Lowered by 25 mm
Effortless Entry and Exit	Lowered by 25 mm	Lowered by 25 mm	Lowered by 25 mm



● Standard ■ OTA Will Release - N/A	Li i8 Pro	Li i8 Max	Li i8 Ultra
Trunk Load-Leveling Mode	Raised by 40 mm or Lowered by 45 mm	Raised by 40 mm or Lowered by 45 mm	Raised by 40 mm or Lowered by 45 mm
Tough road modes	Conquer Off-road Obstacles, slippery road mode, and hill descent control	Conquer Off-road Obstacles, slippery road mode, and hill descent control	Conquer Off-road Obstacles, slippery road mode, and hill descent control
Variable speed EPS	•	•	•
Regenerative braking system	Comfort, Standard, Strong	Comfort, Standard, Strong	Comfort, Standard, Strong
Ventilated front & rear disc brakes	•		•
Electronic braking assistance	•		•
Comfort and Luxury Feat	ures		
Seats			
First row seats			
Wraparound Comfort Seats	•		•
Dual Wide-Angle Recline Modes	•	•	
Nappa leather seats*			
Comfortable sponge			
Adjustable Soft Headrests	×2	×2	×2
Ventilated seats			
Heated seats			
Electric seats	•	•	•
Spa-grade 10-point massage (10 points at back)			
Seat memory			•
Boss button for the front			



passenger seat

● Standard ● OTA Will Release - N/A	Li i8 Pro	Li i8 Max	Li i8 Ultra
Second row seats			
Wraparound Comfort Seats	•	•	•
Right-Side Zero-Gravity Seat	O Optional	O Optional	O Optional
Nappa leather seats*	•	•	•
Comfortable sponge			
Adjustable Soft Headrests	×2	×2	×2
Ventilated seats		•	•
Heated seats	•	•	•
Heated leg rest	•	•	•
Electric seats	•	•	•
Heated seats	•	•	•
Spa-grade 10-point massage (10 points at back)		•	•
Fold-out Tables	O Optional	O Optional	O Optional
Inside armrest with stepless adjustment		•	•
Third row seats			
Comfortable sponge	•	•	•
Heated seats	•	•	•
Electric seats	•	•	•
One-button electric folding	•	•	•
One-button electric unfolding		•	•



● Standard ● OTA Will Release - N/A	Li i8 Pro	Li i8 Max	Li i8 Ultra
Comfort Cockpit Features			
Advanced Audio System	•	•	-
Platinum Audio System	-	-	•
Smart Quiet Electric Air Vents	Stepless Airflow Direction Control Three Smart Airflow Modes	Stepless Airflow Direction Control Three Smart Airflow Modes	Stepless Airflow Direction Control Three Smart Airflow Modes
Rear independent air vents	The second and third rows	The second and third rows	The second and third rows
Heat Pump Air Conditioning System	•		
Tri-zone smart climate control with air purification (with CO2 sensor)	•		
CN95-Grade Cabin Air Filter (Antibacterial, Anti-Mold, Anti-Dust Mite)	•		
Negative Ion Generator	•		
PM2.5 monitoring	•		
Air quality system (AQS)	•		
Smart warmer/refrigerator (with electric control)	_	•	•
Steering wheel heating	•		
Steering wheel 4-way automatic control	•	•	
Inner Halo Ambient Lighting	256 colors	256 colors	256 colors
LED touch reading lights for the first and second rows	•		
LED floor lights	The first and second rows	The first and second rows	The first and second rows
Sun visor vanity mirror	With LED lighting	With LED lighting	With LED lighting
Two-pane panoramic sunroof			
Electric sunshade			
2nd-Row Side Window Sunshades	O Optional	O Optional	O Optional



● Standard ● OTA Will Release - N/A	Li i8 Pro	Li i8 Max	Li i8 Ultra
One-touch button to lift and lower all windows (with anti-pinch)	•	•	
Nap Mode		•	
Bed Mode	•	•	
Cabin material			
Premium fabric lining		•	•
Nappa leather multi-function steering wheel*		•	•
Double-Layer Silver-Coated Soundproof Windshield		•	
OEKO-TEX® STANDARD 100 Certified Hypoallergenic Materials (All Contact Textile Surfaces)		•	
Double-Pane Acoustic Glass (Front Row)	•	•	•
Double-Pane Acoustic Privacy Glass (Second & Third Row)		•	
Rear Privacy Glass	•	•	
Full Vehicle UV-Resistant Glass		•	
Double-Pane Insulated Panoramic Roof Glass (Front & Rear Panoramic Roofs)		•	
Tufted mats for the whole vehicle		•	
Interior Charging			
Front-row wireless mobile phone charging (50W air cooling )	×2	×2	×2
Front-row USB Type-C (15W)	×2	×2	×2
Second-row USB Type-C (67W)	×2	×2	×2
Second-row Seat USB Type-C (27W)	×2	×2	×2



● Standard ● OTA Will Release - N/A	Li i8 Pro	Li i8 Max	Li i8 Ultra
Third-row USB Type-C (27W)	×2	×2	×2
Interior 220V socket	2.2kW	2.2kW	2.2kW
Interior 12V Socket	Front row ×1, Trunk ×1	Front row ×1, Trunk ×1	Front row ×1, Trunk ×1
Storage Space			
Front-row independent cup holder	×2	×2	×2
Second-row independent cup holder	×2	×2	×2
Third-row independent cup holder	×2	×2	×2
Front-row lower storage space	•	•	•
Front Passenger Glove Compartment	•	•	•
Split armrest box	•	•	•
Hidden Door Handle Storage Slots	•	•	•
Super-large door storage space	•	•	•
Hidden trunk storage space	•	•	•
Convenient Driving and Riding			
Keyless entry	Four doors	Four doors	Four doors
Keyless start	•	•	•
Mobile phone Bluetooth key	•	•	•
Remote vehicle control with App	•	•	•
NFC Smart Card Key	×2	×2	×2
Mechanical key	×1	×1	×1
Power column shift	•	•	•
Flush electric door handles for the whole vehicle		•	•
Electric suction doors for the whole vehicle	•	•	•



● Standard ■ OTA Will Release - N/A	Li i8 Pro	Li i8 Max	Li i8 Ultra	
Electric tailgate sensor	•	•	•	
Electric tailgate position memory	Steplessly adjustable	Steplessly adjustable	Steplessly adjustable	
Electric heating for side mirrors	•	•		
Integrated side mirror blind spot detection	•		•	
Electric adjustment of side mirrors ( with side mirror memory )	•			
Automatic side mirror adjustment for reversing	•		•	
Ultra HD Anti-Glare Streaming Rearview Mirror	_	_		
Automatic Anti-Glare Rearview Mirror	•	•	_	
360° HD panoramic camera	•	•		
Transparent chassis	•	•	•	
Built-in ETC	•		•	
On-board electric pump	•	•		
On-board tool kit	•	•		
Li Auto Advanced Assiste	ed Driving			
	Li Auto Assisted Driving AD Pro	Li Auto Advanced Assisted Driving AD Max	Li Auto Advanced Assisted Driving AD Max	
Li Auto Advanced Assisted Driving Platform				
Domain controller	Horizon Robotics Journey™ 6M (128TOPS)	NVIDIA DRIVE Thor-U (700 TOPS)	NVIDIA DRIVE Thor-U (700 TOPS)	
ATL All-Weather LiDAR	•	•	•	
Front perception camera	8 MP ×2	8 MP ×2	8 MP ×2	
Side front perception camera	2 MP ×2	8 MP ×2	8 MP ×2	



● Standard ■ OTA Will Release - N/A	Li i8 Pro	Li i8 Max	Li i8 Ultra
Side rear perception camera	2 MP ×2	8 MP ×2	8 MP ×2
Rear perception camera	2 MP ×1	2 MP ×1	2 MP ×1
Surround view camera	3 MP ×4	3 MP ×4	3 MP ×4
Forward millimeter wave radar		•	•
Ultrasonic radar	×12	×12	×12
Assisted Driving Safety Monitoring (Visual + Steering Wheel)	•		
Steering wheel with vibration alert	•	•	
Attention Warning System	•	•	
Park - to - Park Assistance			
- One-click / Voice Activation	-		
- Route Background Learning	_	•	
- Autonomous Entry and Exit of Arbitrary Parking Lots/Garages	-		
- Automatic Barrier Lifting Identification	-		
- Fully supports open-air/underground parking spaces	-		
- Full Integration of City/Highway/ Highway Toll Station ETC	-		
All-Scenario NOA  Highways as well as urban beltways and roa	ds across China		
Navigation Assistance			
- Follow the Navigation Path	Only Highways		
- Intelligent Speed Adjustment	Only Highways		
Urban Intersection Navigation			
- Respond to Traffic Lights at Intersections	_		



● Standard ■ OTA Will Release - N/A	Li i8 Pro	Li i8 Max	Li i8 Ultra
- Unprotected Left/Right Turns	-	•	•
- Start-Stop Control in Left-Turn/ Through Movement Waiting Zones	-	•	
- Navigate Complex Intersections	-	•	•
Autonomous Lane Change			
- Navigation Lane Change	Only Highways		
- Overtaking Lane Change	Only Highways		
- Congestion Negotiation Lane Change	Only Highways		
Obstacle Avoidance and Detour			
- Construction Zone Avoidance	Only Highways		
- Neighboring Vehicle Proximity Avoidance	Only Highways		
- Dynamic Obstacle Circumvention (Vehicles/Pedestrians/Cyclists)	Only Highways	•	•
- General Obstacle Circumvention	Only Highways	•	•
- Using Opposite Lane for Circumvention	-	•	•
Dedicated Lane Driving			
- Ramp entry and exit	Only Highways		
- Main and Auxiliary Road Switching	-	•	•
- Left/Right Turn Dedicated Lane Navigation	-	•	•
- Highway toll station ETC access	-	•	•
- Pulling out from the curb	-	•	•
- U-turn	-		
- Understanding Traffic Regulations: Recognition and Passage of Bus, Tidal-Flow, and Variable Lanes	-	•	•



● Standard ■ OTA Will Release - N/A	Li i8 Pro	Li i8 Max	Li i8 Ultra
Road Condition Awareness: Potholes, Speed Bumps, Roadworks, T-Junctions, Unlit Roads at Night, Main/Service Road Transitions, etc.	-		
All-Scenario LCC			
Highways as well as urban beltways and road	ds across China		
Lane Keeping			
- Lane Keep Assist (LKA)	•	•	•
- Autonomous Lane Line Generation			•
Lane Switching			
- Lane change in response to turn signals	•	•	
- Autonomous lane selection at merge/ diverge junctions	•		•
- Autonomous Lane Change on Highways	-		•
Obstacle Avoidance and Detour			
- Obstacle Avoidance	•	•	•
- Construction Scene Avoidance	•	•	•
Intersection Management			
- Passing intersections in response to traffic lights			
- Autonomous Execution at Intersections			
- Congestion Negotiation		•	•
Intelligent Parking			
Auto Park Assist (APA)			
- Parking in Extremely Narrow Spaces	•		•
– U–Turn Parking			•



● Standard ● OTA Will Release - N/A	Li i8 Pro	Li i8 Max	Li i8 Ultra
- Seamless Dynamic Gear Shifting	•		
- Smart parking out	•		
FreeDraw Parking Spot	•	•	
Automatic side mirror folding	•	•	
Parking Position Preference (Left/ Center/Right)			
Remote Parking			
- Remote Parking (RPA)	•		
- Door-Closed Parking	•	•	
- Straight-line Summon	•	•	
Enhanced Memory Parking As Parks and parking garages nationwide	sist		
- Memory Parking Assist Valet Parking in Parks/Parking Structures	_		•
- Route Learning	_	•	
- Multi-Space Parking Support (Ground & Underground)			
- Cross-Level Parking Navigation (Surface-to-Basement)	_		
- Multilevel Passage Navigation	_		•
- Cruise Recovery Capability	_		
- Automatic Barrier Lifting and Stopping	_		
- Obstacle Bypass	-		
Adaptive Speed Limiting System (Surface & Underground)	_		



● Standard ■ OTA Will Release - N/A	Li i8 Pro	Li i8 Max	Li i8 Ultra
Memory-based Parking Nationwide underground garages			
- Memory-based Parking in Underground Garages			•
- Route Background Learning			•
- Multi-space support in garages			•
- Multi-level passage driving			•
- Cruise Escape Capability			•
- Barrier Gate Automatic Start-stop			•
- Obstacle Avoidance			•
Active Safety			
Emergency brake			
- Autonomous Emergency brake	•		•
- Rear-Autonomous Emergency brake	•		•
- General Obstacles-Autonomous Emergency brake			•
- LowSpeed-Autonomous Emergency Brake			
- Front Crossing Traffic Assist /Brake	•		•
- Rear Crossing Traffic Assist /Brake	•		•
Emergency Avoidance			
- Emergency Lane Keeping			
- Autonomous Emergency Steering	•		•
- Enhanced Automatic Emergency Steering (AES)			
Safety Assistance			
- Lane Departure Prevention	•		•



● Standard ● OTA Will Release - N/A	Li i8 Pro	Li i8 Max	Li i8 Ultra
- Secondary collision mitigation			
- MissAcceleration Inhabit		•	
- Rear-MissAcceleration Inhabit			
- Automatic Emergency Rescue Call		•	•
Warning Alerts			
- Lane Departure Warning	•	•	
- Front Collision Warning	•	•	•
- Rear Collision Warning		•	
- Door Opening Warning	•		
- Blind Spot Detection and Warning (BSD)			
- Intelligent Turn Signal Auto-Cancel			
- Road Environment Information Display	•		•
- Traffic Sign Recognition	•	•	•
- Traffic Light Recognition	-	•	•
- Traffic Speed Assist	_		•



● Standard ■ OTA Will Release - N/A	Li i8 Pro	Li i8 Max	Li i8 Ultra			
Smart Space						
	Li Smart Space SS Pro	Li Smart Space SS Pro	Li Smart Space SS Max			
Li AD Max Smart Driving Hardware Platform						
HMI Chips	Qualcomm Snapdragon 8295P	Qualcomm Snapdragon 8295P	Qualcomm Snapdragon 8295P High Performance Edition			
RAM	24GB	24GB	32GB			
Driver's Smart Speaker	High-Fidelity Independent Sound Channels Integrated Blue Indicator for ADAS	High-Fidelity Independent Sound Channels Integrated Blue Indicator for ADAS	High-Fidelity Independent Sound Channels Integrated Blue Indicator for ADAS			
High-speed dual-SIM 5G module	•		•			
Steering Wheel Safe Driving Touch-Bar Display						
HD projection heads up display						
15.7-inch Center Information Display (CID)(3K resolution)						
15.7-inch Copilot Entertainment Display(3K resolution)	•	•	•			
21.4-inch Rear Entertainment Display(3K resolution)	_	-	•			
A-SPICE anti-shatter glass						
Anti-glare screen technology						
Dual array microphone	6 groups	6 groups	6 groups			
Cockpit Sensor	RGB&IR Visual module	RGB&IR Visual module	RGB&IR Visual module ×2			
Speaker/Power	20 Speakers /1920 W	20 Speakers /1920 W	22 Speakers /2160 W			



● Standard ● OTA Will Release - N/A	Li i8 Pro	Li i8 Max	Li i8 Ultra
理想同学Agent			
MindGPT Autonomy Engine		•	
Life Companion	•	•	
Vehicle Care Companion	•	•	
Little Desk Mate	•	•	•
Li Xiang Tong Xue by IdealMate	•	•	
Autonomous Decision-Making Reasoning Model	•	•	
Multimodal Infinite Sound Zone Localization	•	•	
Multimodal voice control for any displayed voice assistant command options	Voice and visual fusion search	Voice and visual fusion search	Voice and visual fusion search
Multimodal anaphora interaction (voice/gesture)	•	•	•
Voiceprint recognition and following		•	•
Continuous execution of multi- task command		•	
Free Interaction with Dialects		•	
Offline voice support	•	•	
Whole-vehicle Wakeup-free	•	•	
Generative Master Application			
Desktop Master		•	•
TaskFlex		•	•
Tuning Master		•	•
Painting Master	•	•	



● Standard ■ OTA Will Release - N/A	Li i8 Pro		Li i8 Max		Li i8 Ultra	
HMI System						
Card UI desktop	•		•		•	
Front & Rear Dual Audio Zones	•		•		•	
Children Mode	•		•		•	
Multi-screen simultaneous casting	•		•		•	
Mic-Free Karaoke	•		•		•	
Magic camera	•		•		•	
Browser	•		•		•	
Vehicle hotspot	•		•		•	
App Store						
	CarFun				<b>Lili Lili</b>	
	iQIYI	Tencent Video	Youku Video	Huanxi Premium	bilibili	MangoTV
			<b>6</b>	K		
	Migu Video	QQ Music	Netease Cloud Music	KUGOU	WeSing	Leishi KTV
	OFF				illi-3	中信书院
	Himalaya	Dedao	TIDE	Uncle Kai stories	LIZHI Podcast	CITIC Academy
		小红书	美団			
	FanShu	Red book	Meituan	Мар	Weather App	Pet Pop Fun
				E H		
		JiKongJian	XiaoYuZhou	Zebra Encyclopedia		
	Ongoing OT	A upgrades				
Elagobio Vidos						
Flagship Video						



Dolby Atmos

● Standard ■ OTA Will Release - N/A	Li i8 Pro	Li i8 Max	Li i8 Ultra
Dolby Vision	•	•	•
7.3.4 speaker layout	•	•	•
Speaker/Power	20 Speakers /1920 W	20 Speakers /1920 W	22 Speakers /2160 W
Tweeter design	Dome aluminum cone	Dome aluminum cone	Dual edge aluminum cone
Mid-range speaker design	Tradition taper cone	Tradition taper cone	CosCone
Subwoofer Design	Tradition taper cone	Tradition taper cone	CosCone
Screen type (CID/Copilot Entertainment Display)	LCD	LCD	LCD
Screen type (Rear Entertainment Display)	-	-	LCD
TÜV Rheinland Low Blue Light (Hardware Solution) Certified		•	
TÜV Rheinland Flicker-Free Certification		•	
Rear Entertainment Display with Electric Opening and Closing	_	_	
Multi-touch screen	•	•	•
Anti-glare screen	•	•	•
Anti-glare screen technology		•	
Wired screen casting	Front (3K resolution)	Front (3K resolution)	Front & rear (3K resolution)
Wireless screen casting	•	•	•
Exterior Configuration			
Exterior Lights and Gears			
All-New 3D Star Ring Headlights		•	
Signature Star Ring Taillights		•	
LED Low-speed steering assist lights		•	•



● Standard ■ OTA Will Release - N/A	Li i8 Pro	Li i8 Max	Li i8 Ultra
LED Advanced Driver Assistance System Auxiliary Lamps		•	•
LED side marker lights		•	•
LED greeting lights	•		•
LED courtesy lights	•		•
Adaptive headlight height adjustment	•		•
Automatic high beam	•	•	•
Rain-sensing front wipers	•	•	•
Concealed rear window wiper	•	•	•
Mounting holes for roof rack	•	•	•
Active air-intake grille	•	•	•
Charging and Power Supply			
Charging and Fower Supply			
Charging port flap (Electric induction)	Electric induction	Electric induction	Electric induction
Charging port flap	Electric induction	Electric induction	Electric induction
Charging port flap (Electric induction)	Electric induction  •	Electric induction  •	Electric induction  •
Charging port flap (Electric induction)  AC Charging Port	Electric induction  • •	Electric induction  • •	Electric induction  • •
Charging port flap (Electric induction)  AC Charging Port  DC Charging Port  Li Auto Home Charging scheduled			Electric induction  • • •
Charging port flap (Electric induction)  AC Charging Port  DC Charging Port  Li Auto Home Charging scheduled charging			Electric induction
Charging port flap (Electric induction)  AC Charging Port  DC Charging Port  Li Auto Home Charging scheduled charging  Li Supercharging plug-and-charge			
Charging port flap (Electric induction)  AC Charging Port  DC Charging Port  Li Auto Home Charging scheduled charging  Li Supercharging plug-and-charge  External discharge	• • • 3.5kW	• • • 3.5kW	• • • 3.5kW
Charging port flap (Electric induction)  AC Charging Port  DC Charging Port  Li Auto Home Charging scheduled charging  Li Supercharging plug-and-charge  External discharge  External discharge adapter	• • • 3.5kW	• • • 3.5kW	• • • 3.5kW



● Standard ■ OTA Will Release - N/A	Li i8 Pro	Li i8 Max	Li i8 Ultra
Hot-Stamped Steel A-Pillar with CBS Structural Reinforcement	•		
9-Cell Reinforced Threshold Beam	•		
Giga-Cast Aluminum Rear Underbody Frame			
Front-row front airbag	×2	×2	×2
Front-row side airbag	×2	×2	×2
Front-row Dual-Chamber Far-Side Airbag	×1	×1	×1
Second-row side airbag	×2	×2	×2
Curtain airbags for all windows	×2	×2	×2
Pretensioning seatbelt	•	•	•
ISOFIX interface for child safety seat at the second row	×2	×2	×2
ISOFIX interface for child safety seat at the third row	×2	×2	×2
Universal Child Safety Lock	•		
Driving recorder	•		
Comfort Start & Stop(CST)	•		
Hill descent control (HDC)	•		
Electronic stability program (ESP)			
Side Wind Assist(SWA)	•		•
Tire-pressure monitoring system (TPMS)			
Electronic parking brake (EPB)	•		
AUTO HOLD parking control			



● Standard ● OTA Will Release - N/A	Li i8 Pro	Li i8 Max	Li i8 Ultra
Pedestrian warning noise		•	
Electronic anti-theft function for power system		•	•
Trailer mode	•	•	•
Anti-theft alarm system (with Remote App Notification)		•	•
Sentry mode		•	•
Warranty and Services			
Vehicle warranty	For 5 years or 100,000 km	For 5 years or 100,000 km	For 5 years or 100,000 km
Limited warranty for battery, motor, and electric control system	For 8 years or 160,000 km	For 8 years or 160,000 km	For 8 years or 160,000 km
Mobile data	Three-year data worry- free solution ( 20 GB of free 5G data per month )	Three-year data worry- free solution ( 20 GB of free 5G data per month )	Three-year data worry- free solution ( 20 GB of free 5G data per month )
24/7 roadside assistance service	In-Warranty Period	In-Warranty Period	In-Warranty Period
Smart maintenance reminder	•	•	•
Smart emergency call and rescue		•	•
24/7 online service agents	•	•	•

#### Tips:

- 1. CLTC and WLTC comprehensive driving range and comprehensive battery driving range data were obtained through testing by a third-party laboratory certified by Li Auto. The actual vehicle driving range may vary due to various external factors, such as climate conditions, driving style, road conditions, vehicle load, etc.
- 2. The range and charging time are affected by driving habits, natural environment, battery life and other objective factors. The parameter configuration information is for reference only. For the purpose of design and use safety, Li Auto has the right to adjust the parameters and configuration within the scope of laws and regulations. The specific parameters and configuration are subject to the actual vehicle for sale.
- 3. The driving assistance system is an assisting function and cannot cope with all traffic, weather and road conditions. The driver should take active control of the vehicle at all times. Take caution when using this function in complex traffic conditions, on wet, slippery, water-logged or muddy roads, in poor visibility, on rugged mountain terrain or at highway entrances and exits.
- 4. The Enhanced AES includes automatic emergency steering capabilities for extreme scenarios such as consecutive dual evasive maneuvers and front-and-rear encirclement protection.
- 5. The areas covered in Nappa leather are the perforated sections of the seat cushion and backrest.
- 6. The English version is for reference only. In case of any discrepancy, the Chinese version shall prevail.

